

Message

From: MacNicholl, Peter@DTSC [Peter.MacNicholl@dtsc.ca.gov]
Sent: 8/4/2016 4:56:45 PM
To: Fennessy, Christopher [christopher.fennessy@Rocket.com]
CC: MacDonald, Alex@Waterboards [Alex.MacDonald@waterboards.ca.gov]; Keller, Lynn [Keller.Lynn@epa.gov]
Subject: RE: Comments on Area 40 FS
Attachments: removed.txt

Hey Chris,

It's not so much changes in the supporting unit staff rather work commitments already in the queue and processing work in the order received etc. We will have our Engineering Services involved now to evaluate the remedial alternatives cost estimates and assumptions as this is a new task/assignment. Obviously continuity is important for consistency and we will do our best to use the same staff whenever possible. Thank you for your understanding.

-Pete

From: Fennessy, Christopher [mailto:christopher.fennessy@Rocket.com]
Sent: Wednesday, August 03, 2016 5:24 PM
To: MacNicholl, Peter@DTSC; MacDonald, Alex@Waterboards; keller.lynn@epa.gov
Subject: RE: Comments on Area 40 FS

Hi Peter – If you feel a conference call or meeting with your supporting units would help them with their review to keep the project on-schedule, please let me know. I would be happy to come to your office to discuss. I really would prefer to complete this task with the same team rather than add a new consulting team to the mix.

Thanks, Chris

Christopher M. Fennessy, P.E.
Aerojet Rocketdyne, Inc.
Engineering Manager, Site Remediation
11260 Pyrites Way, Suite 125
Rancho Cordova, CA 95670
Ph: 916-355-3341
Fax: 916-355-6145
Email: Christopher.Fennessy@Rocket.com

From: MacNicholl, Peter@DTSC [mailto:Peter.MacNicholl@dtsc.ca.gov]
Sent: Monday, August 01, 2016 3:56 PM
To: MacDonald, Alex@Waterboards; Fennessy, Christopher; keller.lynn@epa.gov
Subject: [EXTERNAL] RE: Comments on Area 40 FS

Thanks Alex. There is a lot to chew on here.

DTSC and it supporting Units are in the midst of the reviews. I indicated that I would try and have informal comments submitted by mid August, but this may not be realistic due to the various supporting units timeframes and potentially large number of concerns identified from the evaluations. I will keep the team apprised of the progress and anticipated submittal dates as comments are received.

Regards.

-Pete

From: MacDonald, Alex@Waterboards

Sent: Monday, August 01, 2016 3:41 PM

To: Fennessy, Christopher (christopher.fennessy@Rocket.com); keller.lynn@epa.gov; MacNicholl, Peter@DTSC

Subject: Comments on Area 40 FS

Attached are my comments on the draft Area 40 FS.

Alexander MacDonald

Senior Engineer

Central Valley Regional Water Quality Control Board

11020 Sun Center Drive, Suite 200

Rancho Cordova, CA 95670-6114

916-464-4625

amacdonald@waterboards.ca.gov

